

eProcurement System Government of India

Tender Details

Date: 08-Aug-2023 04:23 PM



Basic Details				
Organisation Chain		Department of Agricultural Research and Education Indian Council of Agricultural Research,DoARE,MoA National Research Centre on Equines		
Tender Reference Number	8-272/W/2023			
Tender ID	2023_DARE_765993_1	Withdrawal Allowed	Yes	
Tender Type	Open Tender	Form of contract	Works	
Tender Category	Works	No. of Covers	2	
General Technical Evaluation Allowed	No	ItemWise Technical Evaluation Allowed	No	
Payment Mode	Not Applicable	Is Multi Currency Allowed For BOQ	No	
Is Multi Currency Allowed For Fee	No	Allow Two Stage Bidding	No	

Cover Deta	Cover Details, No. Of Covers - 2			
Cover No	Cover	Document Type	Description	
1	Fee/PreQual/Technical	.pdf	Tender Doucment of Repair and maintenance of Guest House	
2	Finance	.xls	BOQ for Repair and maintenance of Guest House	

Tender Fee Det	tails, [To	tal Fee in ₹ * - 0.	.00]	EMD Fee Details	<u>i</u>		
Tender Fee in ₹	0.00			EMD Amount in ₹	0.00		No
Fee Payable To	Nil	Fee Payable At	Nil			BG/ST or EMD Exemption Allowed	
Tender Fee Exemption	No			EMD Fee Type	fixed	EMD Percentage	NA
Allowed				EMD Payable To	Nil	EMD Payable At	Nil

Click to view modification history

Work /Item(s)					
Title	Tender for Re	epair and Maintenance of C	Guest House at	ICAR-NRCE	
Work Description	Tender for Re	ender for Repair and Maintenance of Guest House at ICAR-NRCE as per Annexure-I			
Pre Qualification Details	Please refer 1	ease refer Tender documents.			
Independent External Monitor/Remarks	NA	IA .			
Show Tender Value in Public Domain	No				
Tender Value in ₹	0.00	Product Category	Civil Works - Others	Sub category	Repair Works of Guest House
Contract Type	Tender	Bid Validity(Days)	90	Period Of Work(Days)	45
Location	ICAR-NRCE, Hisar	Pincode	125001	Pre Bid Meeting Place	NA
	NA	Pre Bid Meeting Date	NA	Bid Opening Place	ICAR-NRCE, Hisar

Pre Bid Meeting Address				
Should Allow NDA Tender	No	Allow Preferential Bidder	No	

<u>Critical Dates</u>			
Publish Date	08-Aug-2023 05:00 PM	Bid Opening Date	31-Aug-2023 03:00 PM
Document Download / Sale Start Date	08-Aug-2023 05:30 PM	Document Download / Sale End Date	30-Aug-2023 03:00 PM
Clarification Start Date	NA	Clarification End Date	NA
Bid Submission Start Date	19-Aug-2023 10:00 AM	Bid Submission End Date	30-Aug-2023 03:00 PM

IT ocument	S.No	Document Name		Description		Document Size (in KB)
	1	Tendernotice_1.pdf		Tender Notice		458.56
						D
	S.No	Document Type	Documen	t Name	Description	Document Size (in KB)
Vork Item Pocuments	S.No	Document Type Tender Documents		t Name umentofguesthouse.pdf	·	

Bid Ope	Bid Openers List				
S.No	Bid Opener Login Id	Bid Opener Name	Certificate Name		
1.	sunilsharma1507@gmail.com	Sunil Sharma	SUNIL		
2.	shammityagi786@gmail.com	Shammi Tyagi	SHAMMI TYAGI		
3.	opnrce@gmail.com	Om Parkash	OM PARKASH		

Tender Properties			
Auto Tendering Process allowed	No	Show Technical bid status	No
Show Finance bid status	No	Show Bids Details	No
BoQ Comparative Chart model	Normal	BoQ Compartive chart decimal places	2
BoQ Comparative Chart Rank Type	L	Form Based BoQ	No
Show Bid Details in Public Domain stage	Technical Bid Opening		

GEM/TIA Undertaking

S.No	Undertaking	Mandatory	Status	Remarks
1	PPP-MII Order 2017	No	Agreed	
2	MSEs Order 2012	Yes	Agreed	

Tender Inviting Au	thority
Name	Director NRCE
Address	ICAR-NRCE, Hisar

Tender Creator Det	ails
Created By	Sunil Sharma
Designation	Assistant

Created Date	08-Aug-2023 03:43 PM	ĺ
		ĺ

ICAR-NATIONAL RESEARCH CENTRE ON EQUINES SIRSA ROAD HISAR – 125 001

F. No.: 8-272/W/2023 Dated: 08.08.2023

Online tenders are invited for submission of quotation for Repair and maintenance of Guest House at ICAR-NRCE, Hisar as per description mentioned in Annexure -1.

- 1. Online bids are invited from the registered manufacturer firms/their authorized dealer etc./suppliers/contractors for **Repair and maintenance of Guest House at ICAR-NRCE**, **Hisar** as per description mentioned in Annexure -1.
- 2. Interested eligible bidders are requested to submit their quotations through E-procurement portal website https://eprocure.gov.in/eprocure/app alongwith all necessary documents as per terms and conditions laid down below. Notice inviting bids is also available on Institutes website http://www.nrce.gov.in. The tender can be uploaded/submitted by 30.08.2023 upto 15.00 PM and the tender will be opened on 31.08.2023 at 15.00 PM.
- 3. The Director, NRCE, Hisar reserves the right to accept or reject all or any of the quotation in part or full.
- 4. Bid Security:- A Bid security declaration should be furnished by all the bidders (on company letter pad) stating that if I/We withdraw or modify the bid(s) during the period of validity, or if they are awarded the contract and they fail to sign the contract, or to submit a performance security before the deadline defined in the request for bids document, they will be suspended for the period of two year to submit bids with this office in future.
- 5. The purchaser will evaluate and compare the quotation which are substantially responsive i.e. which are properly prepared and signed and meet the required terms and conditions, specifications etc. The purchaser will award the contract to the bidder whose quotation will be determined to be response and offers the best evaluated price.
- 6. Successful quoter/bidder has to deposit 5% amount of the total cost of the inspection and repair work as Performance Security money in the form of DD/BG/FDR in favour of ICAR UNIT NRCE, Hisar etc.
- 7. The payment of said repair is to be made on completion of satisfactory repair/installation.
 - I. Quotation shall remain valid for acceptance for a period of not less than 90 days after the specified date of opening of the order.
 - II. The firms on whom the work order is placed within the period of validity of the offer will be required to execute the works within 45 days from the date of issue of the work/contract order. If the bidder fails to deliver any or all of goods/services, the purchaser shall deduct from the contract price as liquidated damages a sum equivalent to 0.5% of the delivery price of the delayed goods for each week of delay. The maximum limit of such deduction will be of 10% of service contract price. Once the maximum is reached the contract will be considered terminated of the contract automatically, if the same have not been terminated already.
- 8. The firms are required to upload copies of the following documents:
 - a) Registration Certificate of the firm with the appropriate State/local Government.
 - b) Contractor should be registered with CPWD, MES or any other Public Works organization /undertaking of Govt. of India or State Govt.
 - c) Last two year continuous experience of the firm in the field of providing such services/works in Central Govt. establishments/Autonomous bodies of Govt. of India/Corporations of Govt. of India/reputed public or private Govt. of India/Corporations of Govt. of India/reputed public or private organizations. Provide the details in enclosed tabular form.

- d) Duly certified copies of the satisfactory services where the tenderer is providing the services for the last two years.
- e) EPF registration certificate issued by concerned authority.
- f) ESI registration certificate issued by concerned authority.
- g) GST registration certificate issued by Govt. etc. without GST No. quotation will be rejected straight way.
- h) Bidders must visit the site for physical inspection before quoting their rates. Sites can be inspected by the bidders on any day at 11.00 AM onwards on **16.08.2023 and 18.08.2023**. Bidders should bring their ID while visiting this Centre for site inspection. Bidders will have to submit/upload certificate of inspection to be issued by the AAO (E) of this Centre (as per Annexure-II). Bids received without the said certificate will not be considered.
- 9. An undertaking to the effect that firm/supplier/contractor has not been blacklisted/ debarred by any Govt. department/ Public sector undertaking during last 3 years.
- 10. Any dispute/litigation will be subject to Hisar jurisdiction only.
- 11. Bidders are required to submit this original tender enquiry (all the pages) duly stamped and signed on every page for our record. Dealer may submit the authorization letter otherwise quotation will be rejected.

Yours faithfully

S/d Assistant Administration Officer

TENDER ACCEPTANCE LETTER

(To be given on Company Letter Head)

To,	Date:
Sub: Acceptance of Terms & Conditions of Tender.	
Tender Reference No:	
Name of Tender/Work:	
Dear Sir, 1. I/ We have downloaded/ obtained the tender document(s) for the above mentioned 'from the website(s) namely:-	Tender/Work'

- 2. I/ We hereby certify that I/ We have read the entire terms and conditions of the tender documents including all documents like annexure(s), schedule(s), etc., which form part of the contract agreement and I/ we shall abide hereby the terms/conditions/ clauses contained therein.
- 3. The corrigendum(s) issued from time to time by your department/ organisation too has also been taken into consideration, while submitting this acceptance letter.

As per your advertisement, given in the above mentioned website(s)

- 4. I/ We hereby unconditionally accept the tender conditions of above mentioned tender document(s)/corrigendum(s) in its totality/entirety.
- 5. I/ We do hereby declare that our firm has not been blacklisted/ debarred by any Govt. Department/ Public sector undertaking.
- 6. If We certify that all information furnished by the our Firm is true & correct and in the event that the information is found to be incorrect/ untrue or found violated, then your department/ organisation shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.
- 7. If We hereby undertake to declare that if I/We withdraw or modify the bid(s) during the period of validity, or if they are awarded the contract and they fail to sign the contract, or to submit a performance security before the deadline defined in the request for bids document, they will be suspended for the period of two year to submit bids with this office.

Yours Faithfully

(Signature of the bidder, with official seal)

SCOPE OF WORK

Name of Work: Repair and maintenance of Guest House at ICAR-NRCE, Hisar

S.No	Description	Qty	Unit	Rate	Amount
1	Brick work with common burnt clay F.P.S. (Non				
	modular) bricks of class designation 7.5 in				
	superstructure above plinth level upto floor V level				
	in all shapes and sizes in				
1.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	Cum	23		
2.	15mm cement plaster on the rough side of single or				
	half brick wall of mix:				
2.1	1:4 (1 cement : 4 fine sand)	Sqm	10		
3.	12mm cement plaster of mix :				
3.1	1:4 (1 cement : 4 fine sand)	Sqm	900		
4.	Repairs to plaster of thickness 12mm to 20mm in				
	patches of area 2.5 Sq.meters and under, including				
	cutting the patch in proper shape, raking out joints				
	and preparing and plastering the surface of the walls				
	complete, including disposal of rubbish to the				
	dumping ground, all complete as per direction of				
	Engineer-in-Charge				
4.1	With cement mortar 1:4 (1 cement : 4 coarse sand)	Sqm	50		
5.	Providing and fixing anodized aluminium grill	Kg	80		
	(anodized transparent or dyed to required shade				
	according to IS:1868 with minimum anodic coating				
	of grade AC 15) of approved design/pattern, with				
	approved standard section and fixed to the existing				
	window frame with C.P. brass/stainless steel screws				
	@ 200mm centre to centre, including cutting the				
	grill to proper opening size for fixing and operation				
	of handles and fixing approved anodized aluminium				
	standard section around the opening, all complete as per requirement and direction of Engineer-in-				
	Charge. (Only weight of grill to be measured for				
	payment).				
6.	Providing and fixing aluminium tower bolts, ISI				
0.	marked, anodized (anodic coating not less than				
	grade AC 10 as per IS:1868) transparent or dyed to				
	required colour or shade, with necessary screws etc.				
	complete.				
6.1	150x10mm	Each	4		
7.	Providing and fixing aluminium handles, ISI				
	marked, anodized (anodic coating not less than				
	grade AC 10 as per IS:1868) transparent or dyed to				
	required colour or shade, with necessary screws etc.				
	complete.				
7.1	125mm	Each	4		

S.No	Description	Qty	Unit	Rate	Amount
8.	Providing and fixing aluminium sliding door bolts,	20	01110	11000	1 21110 0111
0.	ISI marked anodized (anodic coating not less than				
	grade AC 10 as per IS:1868) transparent or dyed to				
	required colour or shade, with nuts and screws etc.				
	complete:				
8.1	250x16mm	Each	2		
9.	Providing and fixing bright finished brass double				
	acting spring hinges with necessary brass screws				
	etc. complete:				
9.1	150mm	Each	6		
10.	Providing and fixing water closet squatting pan				
	(Indian type W.C. pan) with 100mm sand cast Iron				
	P or S trap, 10 litre low level white P.V.C. flushing				
	cistern, including flush pipe, with manually				
	controlled device (handle level) conforming to				
	IS:7231, with all fittings and fixtures complete,				
	including cutting and making good the walls and				
	floors wherever required.				
10.1	White Vitreous china Orissa pattern W.C. pan size	Each	2		
	580x440mm with integral type foot rests.				
11.	Providing and fixing white vitreous china pedestal				
	type water closet (European type W.C. pan) with				
	seat and lid, 10 litre low level white P.V.C. flushing				
	cistern, including flush pipe, with manually				
	controlled device (handle level), conforming to IS				
	:7231, with all fittings and fixtures complete,				
	including cutting and making good the walls and				
	floors wherever required				
11.1	W.C. pan with ISI marked white solid plastic seat	Each	4		
	and lid				
12.	Providing and fixing 8mm dia C.P./S.S. Jet with	Each	4		
	flexible tube upto 1 metre long with S.S. triangular				
	plate to European type W.C. of quality and kmake				
1.0	as approved by Engineer-in-Charge.				
13.	Providing and fixing P.V.C. waste pipe for sink or				
10.1	wash basin including P.V.C. waste fittings complete				-
13.1	Flexible pipe	Б.			
13.1.1	32mm dia	Each	6		
14.	Providing and fixing 600x450mm beveled edge	Each	4		
	mirror of superior glass (of approved quality)				
	complete with 6mm thick hard board ground fixed				
	to wooden cleats with C.P. brass screws and				
1.5	washers complete.	Eo ala	Λ		
15.	Providing and fixing PTMT towel ring trape-zoidal	Each	4		
	shape 215mm long, 200mm wide with minimum distances of 37mm from wall face with concealed				
	fittings arrangement of approved quality and colour,				
16	weighing not less than 88 gms.				
16.	Providing and fixing C.P. brass long body bib cock				
	of approved quality conforming to IS standards and				
	weighing not less than 690 gms.				

S.No	Description	Qty	Unit	Rate	Amount
16.1	15mm nominal bore	Each	5		
17.	Providing and fixing C.P. brass bib cock of		_		
	approved quality conforming to IS:8931 :				
17.1	15mm nominal bore	Each	4		
18.	Providing and fixing C.P. brass angle valve for				
	basin mixer and geyser points of approved quality				
	conforming to IS:8931				
18.1	15mm nominal bore	Each	7		
19.	Providing and fixing PTMT soap Dish Holder	Each	7		
	having length of 138mm, breadth 102mm, height of				
	75mm with concealed fitting arrangements,				
	weighing not less than 106 gms				
20.	Dismantling stone slab flooring laid in cement	Sqm	10		
	mortar including stacking of serviceable material				
	and disposal of unserviceable material within 50				
	metres lead.				
21	Float glass panes				
21.1	4mm thick glass pane (weight not less than	Sqm	5		
	10kg/Sqm)				
22.	1:2:4 (1 cement : 2 coarse sand (zone-III) including	Cum	10		
	manufactured sand derived from Recycled Concrete				
	Aggregate (RCA) upto 25%: 4 graded stone				
	aggregate 20mm nominal size Recycled Concrete				
	Aggregate (RCA) upto 25%)				
23.	1:5:10 (1 cement : 5 coarse sand (zone-III) derived	Cum	20		
	from natural sources: 10 granded stone aggregate				
	40mm nominal size derived from natural sources)				
24.	Providing and fixing factory made P.V.C. door	Meter	30		
	frame of size 50x47 mm with a wall thickness of				
	5mm, made out of extruded 5mm rigid PVC foam				
	sheet, mitred at corners and joined with 2 Nos of				
	150mm long brackets of 15x15mm M.S. square				
	tube, the vertical door frame profiles to be				
	reinforced with 19x19mm M.S. square tube of 19				
	guage, EPDM rubber gasket weather seal to be				
	provided through out the frame. The door frame to				
	be fixed to the wall using M.S. screws of 65/100				
	mm size complete as per manufacturer's				
	specification and direction of Engineer-in-Charge.				

S.No	Description	Qty	Unit	Rate	Amount
25.	Multi chamber extruded PVC section of the size of	Sqm	40		
	762mm x 25mm or less as per requirement with an				
	average wall thickness of 1mm (±0.3mm). PVC				
	foam end cap of size 23x10 mm are provided on				
	both vertical edges to ensure the overall thickness				
	of 25mm. M.S. tube having dimensions 19mm x				
	19mm and 1.0mm (± 0.1 mm) is inserted along the				
	hinge side of the door. Core of the door shutter				
	should be filled with High Density Polyurethane				
	foam. The Top & Bottom edges of the shutter are				
	covered with an end-cap of the size 25mm x 11mm.				
	Door shutter shall be reinforced with				
	specialpolymeric reinforcements as per				
	manufacturer's specification and direction of				
	Engineer-in-Charge to take up necessary hardware				
	and fixtures. Stickers indicating the locations of				
	hardware will be pasted at appropriate places.				
26.	Removing dry or oil bound distemper, water	Sqm	70		
	proofing cement paint and the like by scrapping,				
	sand papering and preparing the surface smooth				
	including necessary repairs to scratches etc.				
	complete.				
27.	Providing and applying white cement based putty of	Sqm	500		
	average thickness 1mm, of approved brand and				
	manufacturer, over the plastered wall surface to				
	prepare the surface even and smooth complete.				
	Total Amount				

Signature of authorized officer

Name of the work :	
	for repair/renovation of above work as perence of authorized officer. I have understood the work and irement.
	Signature of Proprietor
	Name of firm:
	Date :
	have visited the site through their
representative Shri	on

Validate	Print	<u>m</u>	Help

Tender Inviting Authority: < Director, ICAR-NRCE, Hisar >

Name of Work: < Repair & Maintenance of Guest House at NRCE-Hisar as per Annexure 1 >

Contract No: < 8-272/W/2023 >

Contract No: <)-212/VV/2U23 >								
Name of the Bidder/ Bidding Firm / Company:									
	PRICE SCHEDULE (DOMESTIC TENDERS - RATES ARE TO GIVEN IN RUPEES (INR) ONLY) (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender.								
NUMBER #	TEXT #	owed to enter the Bi	NUMBER	NUMBER #	NUMBER#	TEXT #			
SI. No.	Item Description	CONSOLIDATE RATE In Figures To be entered by the Bidder in Rs. P	GST Amount in INR	TOTAL AMOUNT Without Taxes in Rs. P	_	TOTAL AMOUNT In Words			
1	2	7	9	13	14	15			
1	Description of Job Work								
	Repair & Maintenance of Guest House at NRCE-Hisar as per Annexure 1			0.00	0.00	INR Zero Only			
Total in Figures	otal in Figures 0.00 INR Zero Only								
Quoted Rate in Words				INR Z	ero Only				